

DOUBLE CHARGE



HAWK®
GRANITO

WWW.HAWKGRANITO.COM



DOUBLE CHARGE

SUPER GLOSSY

QC WITH PLANO METER

HIGH STRENGTH

MULTI APPLICATION

ECO FRIENDLY

ZERO MAINTENANCE





ROOK

SERIES



Super glossy



QC with
plano meter



High Strength



Multiple Application



Eco Friendly



Zero Maintenance

INDOOR & OUTDOOR APPLICATION



DOUBLE CHARGE

ROOK
S E R I E S



SOFT ROOK



Super glossy



QC with
plano meter



High Strength



Multiple Application



Eco Friendly




Zero Maintenance



DOUBLE CHARGE

ROOK
S E R I E S



LUX ROOK



Super glossy



QC with
plano meter



High Strength



Multiple Application



Eco Friendly




Zero Maintenance



DOUBLE CHARGE

ROOK
S E R I E S



BLUE ROOK



Super glossy



QC with
plano meter



High Strength



Multiple Application



Eco Friendly




Zero Maintenance



DOUBLE CHARGE

ROOK
S E R I E S



SMOKY ROOK



Super glossy



QC with
placo meter



High Strength



Multiple Application



Eco Friendly




Zero Maintenance



DOUBLE CHARGE

ROCK
S E R I E S



BLACK ROCK



Super glossy



QC with
plano meter



High Strength



Multiple Application



Eco Friendly



Zero Maintenance



CHANEL

S E R I E S



Super glossy



QC with
plano meter



High Strength



Multiple Application



Eco Friendly



Zero Maintenance

INDOOR & OUTDOOR APPLICATION



DOUBLE CHARGE
CHANEL
S E R I E S



GO

WHITE CHANNEL



Super glossy



QC with
plano meter



High Strength



Multiple Application



Eco Friendly



Zero Maintenance



DOUBLE CHARGE CHANEL SERIES



CREMA CHANNEL



Super glossy



QC with
plano meter



High Strength



Multiple Application



Eco Friendly



Zero Maintenance



DOUBLE CHARGE CHANEL SERIES



SMOKY CHANNEL



Super glossy



QC with
plano meter



High Strength



Multiple Application



Eco Friendly



Zero Maintenance



THAR

SERIES



Super glossy



QC with
plano meter



High Strength



Multiple Application



Eco Friendly



Zero Maintenance

INDOOR & OUTDOOR APPLICATION



DOUBLE CHARGE

THAR
SERIES



RUSSET THAR



Super glossy



QC with
plano meter



High Strength



Multiple Application



Eco Friendly



Zero Maintenance



DOUBLE CHARGE

THAR
S E R I E S



GOLDEN THAR



Super glossy



QC with
plano meter



High Strength



Multiple Application



Eco Friendly



Zero Maintenance



DOUBLE CHARGE

THAR
SERIES



PINK THAR



Super glossy



QC with
plano meter



High Strength



Multiple Application



Eco Friendly




Zero Maintenance



DOUBLE CHARGE

THAR
S E R I E S



DARK THAR



Super glossy



QC with
plano meter



High Strength



Multiple Application



Eco Friendly




Zero Maintenance



DOUBLE CHARGE

THAR
SERIES



GALAXY THAR
Coming Soon...



Super glossy



QC with
plano meter



High Strength



Multiple Application



Eco Friendly



Zero Maintenance

TECHNICAL SPECIFICATION CHARACTERISTIC

DIMENSION & SURFACE QUALITY	INTERNATIONAL SPECIFICATIONS ISO 10045 EN 119 GROUP A IS 15022, 2011	HAWK VALUE	METHOD OF TESTING
 Deviation in Length & Width	± 0.6%	± 0.1%	ISO 10545 Pt2
 Deviation in Thickness	± 5%	± 3%	ISO 10545 Pt2
 Straightness Of Sides	± 0.5%	± 0.1%	ISO 10545 Pt2
 Rectangularity	± 0.6%	± 0.2%	ISO 10545 Pt2
 Surface Flatness	± 0.5%	± 0.2%	ISO 10545 Pt2
 Glossiness	-	Min. 90% Reflection	Gloss meter

PHYSICAL & THERMAL PROPERTIES			
Water Absorption	< 0.5%	<0.05%	ISO 10545 Pt3
Mohs Hardness	> 6	8	EN 101
Flexural Strength (Mor)	> 35N/m ²	>46 N/m ²	ISO 10545 Pt4
Surface Abrasion Resistance	As per Manufacturer State Class	III to V	ISO 10545 Pt7
Skid Resistance	> 0.4	>0.6	ISO10545 Pt17
Breaking Strength	3500 N	3800 N	ISO 10545 Pt4
Density (g/cc)	> 2.0	>2.4	ISO 10545 Pt3
Frost Resistance	Frost Proof	Frost Proof	ISO 10545 Pt9
Thermal Shock Resistance	No Damage	No Damage	ISO 10545 Pt9
Thermal Expansion	< 9 x 10 ⁻⁶	<6 X 10 ⁻⁶	ISO 10545 Pt8
Moisture Expansion	Nil	Nil	ISO 10545 Pt10

MICAL PROPERTIES			
 Chemical Resistance	No Damage	No Damage	ISO 10545 Pt13
 Colour Resistance	No Damage	No Damage	DIN 51084
 Stain Resistance	Resistant	Resistant	ISO 10545 Pt14

PACKING DETAILS

Coverage Area Sq. Mtr.

Sr.	PRODUCT SIZE	PIECES PER BOX	COVERAGE AREA SQ.FT.	COVERAGE AREA SQ.MTR.
01	600 X 600 MM	4	15.50	1.44
02	800 X 800 MM	3	20.66	1.92



AIRPORT
TERMINALS



DISCOTHEQUES



INDUSTRIES



CORRIDORS
HALLS



SCHOOLS



DOMESTIC



RELIGIOUS
PLACES



GYMNASIUMS



HOTELS



SHOPPING
MALLS



OFFICES



SUPER
MARKETS



PUBS & BARS



HOSPITALS

Note : Any staining material spills on the tile must be diluted with water immediately as it reduces the problem of staining on tile.

Note: Min. 4mm Spacer is Mandatory

DISCLAIMER: For All Our Product & Hawk Granito the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications or aesthetic appearance of products contained in this catalogue at any time without any prior notice. The colors shown of products in this catalogue are purely illustrative and limited to printing process. Please refer actual product before final selection. The detail of sizes and color references should be verified for typographical errors.



WWW.HAWKGRANITO.COM

8-A National Highway, At.: Vaghasiya
Ta.: Wankaner, Dist.: Morbi, Gujarat, India.
Email : info@hawkgranito.com
CUSTOMER CARE : +91 99250 44009

